A JOURNAL OF HIGHWAY RESEARCH



UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF PUBLIC ROADS



INDEX TO VOLUME 10

MARCH 1929-FEBRUARY 1930

ENTRIES APPEAR IN THIS INDEX

under names (1) of authors, (2) of research organizations or institutions, and (3) of subjects.

Cross references may be made (1) to allied main headings or (2) to subheadings of main headings. In the latter case, subheadings are indicated in cross references by inclosure in parentheses. Headings and subheadings consisting of several words each may be indicated in cross references by initial words only.

Abbreviations used in this index are the following:

a.—article or report by.

(fn)-footnote.

q.—quoted.

r.-reference, referred to.

r. to p.—reference(s) to publication(s) by or concerning.

v.-versus.

Names of headings repeated in subheadings.

Names of States.

LIST OF AUTHORS

(For titles of articles, see under names of individual authors in the body of the index)

BOSLEY, H. L.	JACKSON, F. H.	SMITH, BAXTER
BRAUNE, G. M.	JAMES, E. W.	STRAHAN, DR. C. M.
BRUCE, A. G.	JANDA, H. F.	TAYLOR, JAMES H.
BUCHANAN, JAMES A.	KELLERMANN, W. F.	TELLER, L. W.
CAIN, WILLIAM	KRYNINE, DMITRY P.	TERZAGHI, DR. CHARLES
CRITZ, PAUL F.	LAPHAM, E. G.	WESTERGAARD, DR. H. M.
GEMENY, ALBIN L.	PAULS, J. T.	WOOLF, D. O.
HOGENTOGLER, C. A.	PEABODY, L. E.	YARNELL, D. L.

INDEX TO PUBLIC ROADS, VOLUME 10

A Page	Bituminous pavements: Page	Checking, concrete pavement, see Cracks. Page
Absorption tests of coarse aggregates:	characteristics (general) 40	Chert roads in Georgia: economic data and r. to p
accuracy	finishing, machine 18 load distribution on 37, 38 Topeka top concrete pavements, corner	
Abutments, creep	ropeka top concrete pavements, corner cracks	Cherty gravel, cherty limestone, as concrete aggregates:
Acceleration computations in impact tests: gravity, vertical motion, truck wheel hub	Bituminous paving mixtures:	effect upon strength of concrete 72-84 Chips, use as cover material, r. 139-141, 203
and rim accelerations	molding machine	Clay content of soils: data, road soils
Accelerometers. 86-88 Adhesive strength of soils 46, 130, 133-135 Admixtures:	Bituminous surface mats 137-147, 196-203, 207-212 Bituminous surface treatment:	126, 127, 129–131,133–136, 193, 199, 204
Admixtures: 38, 98, 213-225 in concrete. 38, 98, 213-225 in road soils, artificial sand-clay mixtures. 117, 134, 135, 193, 195, 204, 209	of macadam roads, a. by J. T. Pauls and Paul F. Critz	126, 127, 129–131,133–136, 193, 199, 204 effects, various 40–42, 44–55, 62, 63, 118–121, 126, 127, 129–131, 133–136, 204, 205
in road soils, artificial sand-clay mixtures 117, 134, 135, 193, 195, 204, 209		see also Clays—Soils (composition). Clay fills, see Clay slopes—Culvert pipe—Earth fills.
in subgrade soils	Bituminous treatment: of earth roads (topsoil, gravel), r., r. to p. 58, 64, 133	Clay-gravel road soils, see Sand-clay and topsoil roads.
Agg, T. R., r. to p	of soils 56-59, 62, 63, 205 Blanket courses, see Granular layers.	Clay loam subgrade, macadam pavement, data. 143, 144
for bituminous paying mixtures 28, 32, 64, 227	Bonds, highway:	Clay slopes: mechanics of shear failures on, a. by Charles
simplification of sizes, a. by F. H. Jackson. 226-228 symposium, announcement	allocations from motor vehicle registration fees, 1928	Terzaghi
see also Concrete aggregate (coarse)—Concrete sand—Cover material—Grad-	Bosley, H. L. (collaborator): Arlington curing experiments, a 213-225, 228	see also Earth fills. Clay subgrades:
ing—also names of kinds of aggre- gate.	Bradley Lane, Chevy Chase, Md., experiments, r	characteristics and treatment 40-42, 44-46, 48-64, 144, 203-205
Air, entrapped, in clay soils	Braune, G. M.:	Clays:
Air temperature, see Temperature. American Railway Engineering Association:	and William Cain and H. F. Janda, culvert pipe experiments, a	bearing power (pounds) 53,54 characteristics influencing stability, r 40.
culvert experiments, r., r. to p 153, 175 American Society for Testing Materials:	r. to p	characteristics influencing stability, r
symposium, announcement	Brick pavements, see Load distribution-Sub-	203-205
foundation soils, data and r. to p 180 (fn), 181 Analyses, see Bituminous materials—Mechanical	grades (lateral flow). Bridges:	cohesion and internal friction. 48, 51-54, 63, 134, 135, 166-169, 175, 177-192, 203, 204
Analyses, see Bituminous materials—Mechanical analyses—Soil analyses—Traffic	abutments, creep 190, 191	definitions 46, 118, 134, 203
Anderson, A. O. (collaborator), r. to p 175	abutments, creep 190, 191 in parkways, design 21–23, 26, 27, 32 on curves, with superelevated roadways. 16	homogeneous clays
Arches:	overflow bridges on earth fill, r	in cutts (lower). 49, 51, 55, 192 iiquid limit (lower). 49, 50, 135, 143, 204 permeability and porosity 45, 48, 49, 55, 62, 135, 204 plasticity. 44, 46, 48, 49, 18, 143, 144, 204 r. to p. 64, 115 (fn), 134 (fn), 175, 192 behalvilkanses
displacement theory, r 171 flat arches, use in purkways 21-23, 27	Skellit Fork Bridge, soil pressure studies. 191, 192 see also Arches.	moisture equivalent
Freyssinet method of concrete arch construc- tion, a. by Albin L. Gemeny 148-150	Broken stone, see Aggregate, mineral—Base courses—Concrete aggregate	permeability and porosity 45, 48, 49, 55, 62, 135, 204 plasticity44, 46, 48, 49, 118, 143, 144, 204
Arterial highways, see Grades, highway (separation)—Parkways.	(coarse)—Cover material—Crushed	r. to p
Asphalt: cut-back asphalt, use in surface treatment 140,	stone concrete—Load distribu- tion—Macadam pavements—	volume change (shrinkage, expansion) 40.
141, 194, 198, 200, 202, 210, 211	Traffic-bound roads. Bronx River Parkway. 21, 22, 24, 27 Brooming, see Sweeping methods.	41, 44, 46, 48-50, 135, 143, 157, 189, 191, 204 see also headings beginning Clay, Soil—also
oil asphalt, use in surface treatment 139, 140, 142 sheet asphalt—	Brooming, see Sweeping methods. Bruce, A. G.:	Adhesive strength—Air, en- trapped—Bearing power—Binding
equations for molding of specimens	increased vehicle speed, effect on highway design, a	material—Capillary moisture—
see also headings beginning Bituminous.	Buchanan, James A.:	Cementation test value—Com- pression tests—Cracks (in soil)—
Atterberg plasticity tests of soils, use, r	and E. G. Lapham, effect of wheel type on impact reaction, a	Evaporation — Heaving — Hydro- static uplift — Soils — Subgrades—
В	r ito p	Waterlogging. Clearances of motor vehicles on highways:
Base courses: compacted b. c. and porous b. c., discussion 58,	Burning point, see Bituminous materials (anal-	traffic survey data. 1 Clemmer, H. F. (collaborator), r. to p 64, 17
concrete b. c., r	yses). Burton, V. R., r. to p	Cleveland, Ohio, traffic survey data 2, 6-15, 2 Climatic conditions, see Temperature—Weather
crushed stone b. c		conditions.
macadam b. c., r. 38-40, 50, 52, 59 for sand-clay and topsoil roads (surface	Cain, William:	Cohesion in soils. 47 48, 51-54, 58, 63, 135, 153, 154, 165-169, 174, 175
treated)	earth pressure on culvert pine a (collabo-	177-192, 204
construction methods and costs 194, 195, 199, 202, 203	ration)	Columbia Pike Experimental Road, reinforcement, r. to p6
thickness 195, 199, 202, 203 Basquin, r. to p 175 Bates test road, data 37, 38, 50, 60 Beam strength of pavements 37-40, 58-60, 62, 63 Bear Mountain Park, vehicle parking 26	Calcium chloride, use:	ment, r. to p
Bates test road, data	as concrete curing agent, experiments 213-225, 228 as dust layer for macadam roads, r. to p 137 (fn)	Compression tests: of clay soils, data
Bear Mountain Park, vehicle parking	in capping of concrete specimens	of chay sons, data
miscellaneous r 37-64, 134-136, 194, 199, 202-205	data and r. to p	Compressive strength:
r. to p	Cantilever beam tests: of cement mortar specimens (wet v. dry) 113	of cement mortar specimens as affected by moisture content
Bell, A. L. (Arthur L.), r., r. to p 175, 180, 181, 192 Bellefontaine, Ohio, concrete pavement	of concrete—	of concrete— as affected by—
Bending, resistance to, see Bending moments—	portable testing machine	aggregate, cement factor, and water- cement ratio
Flexural strength—Stresses. Bending moments:	strength) 72-84 Capillary moisture in soils:	curing method 216, 224, 22
in concrete arches, reduction 150 in concrete beams 65-68, 112 in concrete pavement slabs 67, 68, 219	miscellaneous r	as criterion of quality
in culvert nine 170, 175	movement in clays, laboratory experi-	Concrete, see headings beginning Cement, Concrete—also Admixtures—Arches—
Benkelman, A. C., r. to p. 64 Bibliographies 64, 175, 176, 192 Binding material, binders:	Comping of congrete test encolmons 74	Base courses—Bending moments— Bridges — Capping—Compression
Binding material, binders:	Carbon content, see Bituminous materials (analyses).	tests — Compressive strength — Consistency—Curing—Deflec- tions — Expansion — Finish ing methods—Guard rails—Modulus,
bituminous binders, r	Cells, see Kreuger cells—Soil pressure cells. Cement:	tions - Expansion - Finishing
soils, binding properties of 45-47, 53, 54, 58, 62, 63, 130, 133, 135, 204, 205	as admixture in subgrade soils	methods—Guard rails—Modulus, moduli (of elasticity—of rupture)—
Bins:	see also headings beginning Cement, Concrete.	Molding—Poisson's ratio—Rod- ding—Shrinkage—Spading—Stiff-
bin formula, application in culvert pipe,	Cement factor in concrete: cement requirements as affected by type and	ness - Strength ratios - Strenges-
r. to p 175	gradation of aggregate	Tamping — Temperature expansion — Tensile strength — Tension tests — Uniformity — Water-oement ratio—Wokability—Yield.
Bituminous materials:	strength of concrete	tests — Unifor mity — Water-ce- ment ratio—Wokability—Yield.
analyses 138, 143, 196, 205-207 effect, study from molded specimens of mixtures 32	Cement mortar specimens: strength as affected by moisture content	Concrete aggregate (coarse):
U8e	Cementation test value of a given clay	Concrete aggregate (coarse): angularity of particles, effects
as concrete pavement curing agents 214-217, 219-225, 228	Chapel Hill, N. C.: earth pressure experiments, culvert pipe. 153-176	increase through control of grading
as dust layers, r., r. to p 137 (text and fn)	Chatley, H	relation to quality of concrete, study 1

1

52276—31

Concrete aggregate—Continued. Page	Cracks-Continued. Page	Drainage: Page
recommendations	in culvert pipe, data from earth pressure	of earth fills
separation of, advantages. 227 simplification, a. by F. H. Jackson. 226-228 specifications, standardization. 226, 227 type as affecting— strength of concrete. 64, 72-84, 110-112, 115, 116	in soil (clays) 50	143, 144
specifications, standardization 226, 227	Creep, see Concrete pavements—Retaining walls. Critz, Paul F. (collaborator):	of sand-clay and topsoil roads, r 117, 126, 132, 135, 194, 195, 202, 203, 205
strength of concrete 64, 72-84, 110-112, 115, 116	bituminous surface treatment experiments.	126, 132, 135, 194, 195, 202, 203, 205 of subgrades 41, 45, 48–50, 54, 55, 59, 60, 62, 63, 205 see also Culvert pipe—Curbs—Drains.
wear of pavement concrete	Cross-breaking tests, see Bending moments—	Drains, drain tile:
see also names of kinds of aggregate-also	Flexural strength—Modulus, moduli (of rupture).	effectiveness and r. to p 54, 55, 63, 175, 176, 205 Ductility of asphaltic products used in surface
Absorption tests — Aggregate, mineral—Concrete mix—Crushed	Cross sections of concrete pavements, designs 98, 99 Crowns:	Dust prevention experiments, macadam road
material — Grading — Proportion- ing — Specific gravity — Voids —	of concrete pavements, designs	B
ing — Specific gravity — Voids — Wear—Weights. Concrete aggregate (fine), see Concrete sand.	of sand-clay and topsoil roads, recommenda- tions	E atheres as Cooles
Concrete beams:	Crum, R. W., r., r. to p 56, 64, 153 (fn) Crushed material in coarse aggregates:	Earth curing, see Curing. Earth fills:
on elastic subgrades and loaded at the middle, action 65-67	percentages for various aggregates	clay fills 41, 45, 49, 51, 55, 154, 156-159, 166, 169, 175, 177, 189, 192 design and construction 22, 48-51, 55, 62, 63, 177, 192
see also Cantilever beam tests—Flexural strength—Flexure test.	Crushed stone, crushed stone courses, see Aggregate, mineral—Base courses—	design and construction 22,
Concrete culvert pipe:	Concrete aggregate (coarse)—Cover material — Crushed stone con-	drainage
earth pressure upon	crete — Load distribution — Ma- cadam pavements—Traffic-bound	as affecting pressure on culvert pipe 153-176
	roads.	computation for given stress 175 factor of safety 165, 177, 191, 192
effects upon concrete, r	Crushed stone concrete: 72–84, 110–112, 115, 116	r. to p
Concrete pavements:	Culvert pipe:	1. to D. 64, 175, 192 roadside plantings 108, 109, 109 sand fills 45, 47, 154-156, 159-169, 175, 192 settlement, stability 41, 42, 45, 47-51, 55, 56, 62-64, 177-179, 189-192, 205 side hill fills, materials suitable 45, 51, 63
creep of slabs, transverse	earth pressure experiments, a. by G. M.	settlement, stability
of those cut from slabs, studies 116	Braune, William Cain, and H. F. Janda 153-176	42, 45, 47-51, 55, 56, 62-64, 177-179, 189-192, 205 side hill fills, materials suitable
subdivision of slabs, value 54, 60-62, 65-71 see also other headings beginning Concrete—	Culverts, arch:	trapped water, effects
also headings beginning Impact— Load—also Base courses—Beam	theory, support by experimental data 168, 169 Curbs:	Earth pressure:
strength—Bending moments—	lip curbs for concrete pavements, designs 19 plank curbs for sand-clay roads 196, 199, 203	active pressure, passive pressure, pressure at
Cracks—Cross sections—Curbs— Curing — Deflections — Edge	Curing of concrete, methods:	active pressure, passive pressure, pressure at rest 51, 52, 154-156, 173, 174, 189, 191, 192 against retaining walls, computation 189-192 bibliographies 175, 176, 192 lateral earth pressure 51, 52, 166, 169-176, 179, 180 on clay slopes 179, 179, 179, 179, 179, 179, 179, 179,
tests—Federal-aid highway con-	Arlington experiments, a. by L. W. Teller and H. L. Bosley 213-225, 228	bibliographies
struction—Heaving of subgrades— Joints—Moisture content—	and H. L. Bosley. 213-225, 228 used in various tests. 73, 74, 112, 116, 213-225, 228 Curling, see Warping.	on clay slopes
Shoulders — Static load tests— Stresses—Subgrade friction — Sub-	Curved sliding surfaces:	
grades—Temperature—Thickened edge design—Thickness—Topeka top—Volume change—Warping—	theories and application of	Eddy losses, reduction in pipe bends
top—Volume change—Warping—	design, superclevation, sight distances, etc. 11, 15-18, 21, 32	drained and undrained
Wear—Wear machine—Width. Concrete reinforcement:	Cushioning quanties of wheel types, tests so 91, 91	Edges of roads: construction and maintenance
of arches—	Cuts: design—	construction and maintenance 140, 141, 194, 199-201, 203 distances from, motor vehicle wheel passages 14, 15
quantity requirements, reduction, r 150 of culvert pipe, r. to p	in parkways. 22, 32 on basis of theory of curved sliding	see also Drainage.
of pavement slabs	surfaces	Elasticity: of concrete, elastic rib shortening in arches. 148, 149
225, 228	surfaces 177-192 drainage, recommendation 55 roadside plantings 108, 109	of culvert pipe under load, experiments 153-176 of soils—
Concrete sand: as affecting pavement wear, r	slides in	elastic subgrades, progressive cracking of
sizes. 226-228	Contract of the contract of th	pavement on 65-71 miscellaneous, 45,
Condition surveys: of concrete pavements, data, r	D	46, 48-50, 52, 59, 63, 166, 189, 191, 192, 204 see also Modulus, moduli (of elasticity).
of sand-clay and topsoil roads, data 117-136,		acc and transmit meaning (or engerietely);
102 010	Deceleration, see Acceleration.	Eno, F. H., r to p
Congresses, road, see Essay contest.	Deflections: in bituminous pavements	Erosion: at bends of streams and at bridge piers 33, 34
Congresses, road, see Essay contest. Connecticut Avenue experiments:	Deflections: in bituminous pavements	Erosion: at bends of streams and at bridge piers
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements	Erosion: at bends of streams and at bridge piers
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p 146 (text and fn), 147 Connecticut highways: traffic survey data.	Deflections: in bituminous pavements	Erosion: at bends of streams and at bridge piers
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements	Erosion: at bends of streams and at bridge piers 33, 34
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements	Erosion: at bends of streams and at bridge piers 33, 34
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements	Erosion: at bends of streams and at bridge piers
193-212	Deflections: in bituminous pavements	Erosion: at bends of streams and at bridge piers
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements	Erosion: at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 35 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements	Streams and at bridge piers 33, 34
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements	at bends of streams and at bridge piers 33, 34 Essay contest, announcement 32 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r 20 Expansion: of concrete 42, 70 of soils 42-45, 48-50, 62, 135, 136, 200 Expenditures, highway, see Federal-aid highway construction — Registration fees—Sand-clay and topsoil roads (construction). F Farina, Ill., experiments, r 15 Federal-aid highway construction: current status, rear cover pages of Nos. 1-12 design features submitted, 1928, for concrete
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements	Erosion: at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 35 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements. in concrete beams on elastic subgrade and in concrete beams on elastic subgrade and loaded at the middle	Erosion: at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 35 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in concrete beams on elastic subgrade and in concrete beams on elastic subgrade and loaded at the middle	Erosion: at bends of streams and at bridge piers at bends of streams and at bridge piers 3.3.34 Essay contest, announcement. 3.5 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in tituminous pavements in concrete beams on elastic subgrade and loaded at the middle	Erosion: at bends of streams and at bridge piers at bends of streams and at bridge piers 3.3.34 Essay contest, announcement. 3.5 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in tituminous pavements in concrete beams on elastic subgrade and loaded at the middle	Erosion: at bends of streams and at bridge piers at bends of streams and at bridge piers 3.3.34 Essay contest, announcement. 3.5 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in tituminous pavements in concrete beams on elastic subgrade and loaded at the middle	at bends of streams and at bridge piers 33, 34 Essay contest, announcement 25 Evaporation loss, see Specifications. 20 Evaporation (surface) by clay soils, r 20 Expansion: of concrete 42, 70 of soils 42-45, 48-50, 62, 135, 136, 20 Expenditures, highway, see Federal-aid highway construction — Registration fees—Sand-clay and topsoil roads (construction). F Farina, Ill., experiments, r 15 Federal-aid highway construction: current status, rear cover pages of Nos. 1-12 design features submitted, 1928, for concrete pavements. 14 Feld, Jacob, r, r, to p 175, 19 Feldspar, feldspathic material: as sand constituent 75 in soil, as affecting stability 46, 13 Fellenius, W., r, r, to p 179-181, 183-186, 19 Fillers, joint, for concrete pavements: types in designs.
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements	at bends of streams and at bridge piers 33, 34 Essay contest, announcement 25 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r 20 Expansion: of concrete 42, 70 of soils 42-45, 48-50, 62, 135, 136, 20 Expenditures, highway, see Federal-aid highway construction — Registration fees—Sand-clay and topsoil roads (construction). F Farina, Ill., experiments, r 15 Federal-aid highway construction: current status, rear cover pages of Nos. 1-12 design features submitted, 1928, for concrete pavements. Federal-aid highway system in Western States: traffic survey, announcement 14 Feld, Jacob, r., r. to p 175, 19 Feldspar, feldspathic material: as sand constituent 7 in soil, as affecting stability 46, 13 Fellenius, W., r., r. to p 179-181, 183-186, 19 Fillers, joint, for concrete pavements: types in designs. Fills, see Earth fills.
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements	at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 32 Evaporation loss, see Specifications. 20 Evaporation (surface) by clay soils, r
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements	at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 32 Evaporation loss, see Specifications. 20 Evaporation (surface) by clay soils, r
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in concrete beams on elastic subgrade and in concrete beams on elastic subgrade and loaded at the middle	at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 32 Evaporation loss, see Specifications. 20 Evaporation (surface) by clay soils, r
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements. in concrete beams on elastic subgrade and in concrete beams on elastic subgrade and loaded at the middle	at bends of streams and at bridge piers 33, 34 Essay contest, announcement, 32 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r. 20 Expansion: of concrete 42, 76 of soils. 42-45, 48-50, 62, 135, 136, 20 Expenditures, highway, see Federal-aid highway construction—Registration fees—Sand-clay and topsoil roads (construction). F Farina, Ill., experiments, r. 15 Federal-aid highway construction: current status, rear cover pages of Nos. 1-12 design features submitted, 1928, for concrete pavements. 14 Fedd, Jacob, r., r. to p. 175, 19 Feldsbar, feldspathic material: as sand constituent 7 in soil, as affecting stability 46, 13 Fellenius, W., r., r. to p. 179-181, 183-186, 19 Fillers, joint, for concrete pavements: types in designs 9 Fillers, joint, for concrete specimens, r. 7 as affecting pavement smoothness 110, 11 as affecting pavement smoothness 110, 11 Flash point, see Bituminous materials (analyses). Fleuvral strength: of cement mortar in wet and in dry speci-
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements. in concrete beams on elastic subgrade and in concrete beams on elastic subgrade and loaded at the middle	at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 32 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r. 20 Expansion: of concrete 42, 76 of soils. 42, 45, 48-50, 62, 135, 136, 20 Expenditures, highway, see Federal-aid highway construction—Registration fees—Sand-clay and topsoil roads (construction). F Farina, Ill., experiments, r. 15 Federal-aid highway construction: current status, rear cover pages of Nos. 1-12 design features submitted, 1928, for concrete pavements. Federal-aid highway system in Western States: traffic survey, announcement 14 Feld, Jacob, r., r. to p. 175, 19 Feldsbar, feldspathic material: as sand constituent. in soil, as affecting stability 46, 13 Fellenius, W., r., r. to p. 179-181, 183-186, 19 Fillers, joint, for concrete pavements: types in designs. 9 Fills, see Earth fills. Simple methods: and equipment, for concrete specimens, r. 7 10, 11 as affecting pavement smoothness. 1 Flash point, see Bituminous materials (analyses). Flexural strength: of cement mortar in wet and in dry specimens. 11
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements. in concrete beams on elastic subgrade and in concrete beams on elastic subgrade and loaded at the middle	at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 32 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r. 20 Expansion: of concrete 42, 76 of soils. 42, 45, 48-50, 62, 135, 136, 20 Expenditures, highway, see Federal-aid highway construction—Registration fees—Sand-clay and topsoil roads (construction). F Farina, Ill., experiments, r. 15 Federal-aid highway construction: current status, rear cover pages of Nos. 1-12 design features submitted, 1928, for concrete pavements. Federal-aid highway system in Western States: traffic survey, announcement 14 Feld, Jacob, r., r. to p. 175, 19 Feldsbar, feldspathic material: as sand constituent. in soil, as affecting stability 46, 13 Fellenius, W., r., r. to p. 179-181, 183-186, 19 Fillers, joint, for concrete pavements: types in designs. 9 Fills, see Earth fills. Simple methods: and equipment, for concrete specimens, r. 7 10, 11 as affecting pavement smoothness. 1 Flash point, see Bituminous materials (analyses). Flexural strength: of cement mortar in wet and in dry specimens. 11
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in transcription of the truck tires and wheels, computation: in concrete receiver and wheels, computation: in concrete pavement slabs	at bends of streams and at bridge piers 33, 34 Essay contest, announcement 2. 32 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r. 20 Expansion: of concrete 42, 76 of soils. 42-45, 48-50, 62, 135, 136, 20 Expenditures, highway, see Federal-aid highway construction—Registration fees—Sand-clay and topsoil roads (construction). F Farina, Ill., experiments, r. 15 Federal-aid highway construction: current status, rear cover pages of Nos. 1-12 design features submitted, 1928, for concrete pavements. Federal-aid highway system in Western States: traffic survey, announcement 14 Feld, Jacob, r., r. to p. 175, 19 Feldsbar, feldspathic material: as sand constituent 77 in soil, as affecting stability 46, 13 Fellenius, W., r., r. to p. 170-181, 183-186, 19 Fillers, joint, for concrete pavements: types in designs. 9 Fills, see Earth fills. in saffecting pavement smoothness, 11 as affecting pavement smoothness, 11 lash point, see Bituminous materials (analyses). Floxural strength: of concrete— as criterion of quality 72, 11 factors affecting, various. 72-24 see Fills, various. 72-24 10-112, 115, 116, 216, 224, 22 Tenders affecting, various. 72-24 Tenders affecting, various. 72-181, 116, 216, 224, 22 Tenders affecting, various. 72-24
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in concrete beams on elastic subgrade and loaded at the middle	at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 32 Evaporation loss, see Specifications. 20 Expansion: of concrete 42, 76 of soils. 42-45, 48-50, 62, 135, 136, 20 Expenditures, highway, see Federal-aid highway construction—Registration fees—Sand-clay and topsoil roads (construction). F Farina, Ill., experiments, r. 15 Federal-aid highway construction: current status, rear cover pages of Nos. 1-12 design features submitted, 1928, for concrete pavements. 44 Feld, Jacob, r., r. to p. 175, 19 Feldsbar, feldspathic material: as sand constituent 7 in soil, as affecting stability. 46, 13 Fellenius, W., r., r. to p. 179-181, 183-186, 19 Fillers, joint, for concrete pavements: types in designs. 19 Fills, see Earth fills. 19 as affecting pavement smoothness. 11 Flash point, see Bituminous materials (analyses). 19 Flasts prints, see Bituminous materials (analyses). 19 Flexural strength: of concrete as criterion of quality 72, 11 factors affecting, various. 72-8 see also Bending moments.
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in tournete beams on elastic subgrade and loaded at the middle	at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 32 Evaporation loss, see Specifications. 20 Expansion: of concrete 42, 76 of soils. 42-45, 48-50, 62, 135, 136, 20 Expenditures, highway, see Federal-aid highway construction—Registration fees—Sand-clay and topsoil roads (construction). F Farina, Ill., experiments, r. 15 Federal-aid highway construction: current status, rear cover pages of Nos. 1-12 design features submitted, 1928, for concrete pavements. 44 Feld, Jacob, r., r. to p. 175, 19 Feldsbar, feldspathic material: as sand constituent 7 in soil, as affecting stability. 46, 13 Fellenius, W., r., r. to p. 179-181, 183-186, 19 Fillers, joint, for concrete pavements: types in designs. 19 Fills, see Earth fills. 19 as affecting pavement smoothness. 11 Flash point, see Bituminous materials (analyses). 19 Flasts prints, see Bituminous materials (analyses). 19 Flexural strength: of concrete as criterion of quality 72, 11 factors affecting, various. 72-8 see also Bending moments.
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements. in concrete beams on elastic subgrade and loaded at the middle	at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 32 Evaporation loss, see Specifications. 20 Expansion: of concrete 42, 76 of soils. 42-45, 48-50, 62, 135, 136, 20 Expenditures, highway, see Federal-aid highway construction—Registration fees—Sand-clay and topsoil roads (construction). F Farina, Ill., experiments, r. 15 Federal-aid highway construction: current status, rear cover pages of Nos. 1-12 design features submitted, 1928, for concrete pavements. 44 Feld, Jacob, r., r. to p. 175, 19 Feldsbar, feldspathic material: as sand constituent 7 in soil, as affecting stability. 46, 13 Fellenius, W., r., r. to p. 179-181, 183-186, 19 Fillers, joint, for concrete pavements: types in designs. 19 Fills, see Earth fills. 19 as affecting pavement smoothness. 11 Flash point, see Bituminous materials (analyses). 19 Flasts prints, see Bituminous materials (analyses). 19 Flexural strength: of concrete as criterion of quality 72, 11 factors affecting, various. 72-8 see also Bending moments.
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements. in concrete beams on elastic subgrade and loaded at the middle	at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 32 Evaporation loss, see Specifications. Evaporation (surface) by clay soils, r. 20 Expansion: of concrete 42, 76 of soils. 42-45, 48-50, 62, 135, 136, 20 Expenditures, highway, see Federal-aid highway construction—Registration fees—Sand-clay and topsoil roads (construction). F Farina, Ill., experiments, r. 15 Federal-aid highway construction: current status, rear cover pages of Nos. 1-12 design features submitted, 1928, for concrete pavements. Federal-aid highway system in Western States: traffic survey, announcement 14 Feld, Jacob, r., r. to p. 175, 19 Feldsbar, feldspathic material: as sand constituent. in soil, as affecting stability 46, 13 Fellenius, W., r., r. to p. 179-181, 183-186, 19 Fillers, joint, for concrete pavements: types in designs. 9 Fills, see Earth fills. Simishing methods: and equipment, for concrete specimens, r. 7 as affecting pavement smoothness. 110, 11 as affecting pavement smoothness. 170, 19 flash point, see Bituminous materials (analyses). Flexural strength: of cement mortar in wet and in dry specimens. 17 as criterion of quality 72, 11 factors affecting, various 72-8 see also Bending moments. Flexure test for concrete: r. to p. 78 (fr
Congresses, road, see Essay contest. Connecticut Avenue experiments: data and r. to p	Deflections: in bituminous pavements. in concrete beams on elastic subgrade and loaded at the middle	at bends of streams and at bridge piers 33, 34 Essay contest, announcement. 32 Evaporation loss, see Specifications. 20 Evaporation (surface) by clay soils, r

Forest Park, Springfield, Mass.: Page	Page	Loam subgrades, loams: Page
development 32	Impact loads transmitted to culverts, r. to p 176 Impact reaction between truck wheel and pave-	data, miscellaneous 44, 108, 143, 144, 181, 194
Forms, see Molding. Four-lane roadways	ment:	Loss, see Bituminous materials (analyses)—Mois- ture content—Sand-clay and top-
Franklin, W. M., and Johnson, W. C., r. to p 175 Freezing, see Heaving of subgrades.	as affected by— height of drop 86–92, 94	soil roads (surface loss).
Freyssinet method, concrete arch construction:	height of drop. 86-92, 94 wheel type, a. by James A. Buchanan	M
a. by Albin L. Gemeny	and E. G. Lapham	Macadam bases, see Base courses.
Friction: channel friction, water flowing around bend. 33, 34 internal friction in soils	see also Cracks. Impact testing machine, description	Macadam pavements: costs (construction and maintenance) of penetration and surface treated water-bound macadams. 140, 141, 146, 147
58 63 153 154 165-175 177-192 204	treatment—Cleveland, Ohio—De-	water-bound macadams. 140, 141, 146, 147 materials and methods used in early con-
see also Subgrade friction. Frontard, r., r. to p	sign, highway — Parkways — Road- side development — Stage construc- tion — Traffic studies.	struction of experimental road 137, 142 stability, various factors affecting
Gemeny, Albin L.:	Inertia, see Accelerometers—Stresses (in pipe culverts).	Subgrade solls suitable for
Freyssinet method of concrete arch con-	Intersections, highway:	surface treatment experiments 137-147 see also Load distribution—Traffic-bound
struction, a	types and grade separation 20, 22, 23, 24, 26 Iowa State College:	roads.
Gneiss, see Mineral composition. Goldbeck, A. T.:	earth pressure experiments, r., r. to p 153, 175 Iron pipe, see Culvert pipe. Iron-silica road surfaces, Georgia data. 117, 126, 127, 136	Machines, testing, see names of machines, names of processes in which machines are used, and names of tests.
r. to p	Tou-sines road squaces, deorgis data. 111, 120, 121, 100	Maine highways, traffic survey data
Gonnerman and Shuman, r. to p	Jacks, special	names of types of highways—also Maintenance patrol.
Goodrich, E. P., r. to p	Jackson, F. H.:	Maintenance patrol, highway
Grades, highway:	r	Marston, Dean Anson (Marston, A.): r., r. to p
current practice 15, 16, 20	Jacquinot and Frontard	r, r. to p. 153, 175 Mason, Clyde (collaborator), r. to p. 176 Massachusetts highways, see Roadside develop-
economics of, r. to. p	parkways, a	ment.
separation	Janda, H. F. (collaborator): earth pressure experiments on culvert pipe,	Mats, bituminous surface 137-147, 196-203, 207-212
of concrete aggregate (coarse) as affecting-	a	McKesson, C. L., r., r. to p 42, 46, 64 McMillan, F. R., r 64 McNary, J. V., r. to p 192 McNown, W. C., r 42
quantity requirements, investigation 116 strength of concrete	Jetting, hydraulic: use in subgrade compaction, r	McNary, J. V., r. to p
strength of concrete 72-84, 116 of mineral aggregate for surface treated sand- clay roads, specifications, 210	Johnson, W. C., see Franklin, W. M. Joints:	Mechanical analyses:
see also Mechanical analyses—Simplification	in concrete arches, opening in Freyssinet	of sands and gravels, test results 72, 138 of soils, usefulness and test results 45,
of sizes—Soils (composition). Granite as concrete aggregate	construction method	see also Soil analyses. 47, 48, 134, 135, 154, 155, 204
for sand-elay and topsoil roads. 134, 196-199, 203, 210 for subgrades. 57, 58, 62, 63 Granular materials as subgrade admixtures. 58, 63	ness	Melting point, see Bituminous materials (analyses). Metal strips as contraction joints in concrete
for subgrades	54, 60–65, 68, 69, 99, 217, 218, 220, 228	pavements 61
(travel:	K	Micaceous soils as subgrade and base material. 44,
as base course material. 58, 59, 63 as concrete aggregate. 72-84, 111, 112, 116, 227 as cover material. 138, 141, 201, 203 bituminous gravel binder, macadam road. 141, 142	Kaolin as binder (subgrade soils)	Micrometers, types used in tests, r 85-88, 95, 96, 159, 218
as cover material 138, 141, 201, 203 bituminous gravel binder, macadam road 141, 142	Kellermann, W. F.:	Mineral aggregate, see Aggregate, mineral—Con-
cemented gravel, conesion and internal fric-	effect of type and gradation of coarse aggre- gate upon strength of concrete, a. 72-84	crete aggregate (coarse)—Concrete sand.
tion	gate upon strength of concrete, a. 72-84 Ketchum, M. S., r. to p. 175 Kirk, H. J., q., r. to p. 39, 64	Mineral composition: of concrete aggregates as affecting strength of
sizes, commercial. 73,226-228 test results, several graveis 73, 151, 152 see also headings beginning Granular, Gravel—also Binding material—	1 Knoke, H., r., r. to D., 180, 181, 192	concrete
see also headings beginning Granular,	Kreuger cells, use in impact tests	of Georgia road soils
	Krynine, Dmitry P.: capillary movement and entrapped air in	of elasticity—
Gravel macadam experimental road, data 140, 142 Gravel roads, see Sand-clay and topsoil roads— Traffic-bound roads.	clays, a 114-115	of concrete— assumed value in computations 65-68,70
Traffic-bound roads.	r, to p	use in correction for concrete arch rib shortening149
Gravel subgrades, serviceability	L	of culvert pipe (cast iron)—
payement by truck wheel 89.90	Ladd, George E. (G. E.), r. to p	use in stress computation. 169–175 values 173 (fn)
Griffith, J. H., r., r. to p. 175, 181 Grips (concrete tension test specimen):	Ladd, George E. (G. E.), r. to p	of rupture— of cement mortar in wet and in dry speci-
description	mechanics of shear failures on clay slopes, a.	mens
Ground-water level as affecting stability of sub- grade soils _ 46, 47, 49, 50, 53-55, 62-64, 205	by Charles Terzaghi	mens 113 of concrete 67, 73, 76-84, 111, 112 see also Flexural strength.
Grout, sand size for 227 Guard rails, types 18, 19	r to p	of subgrade reaction to concrete beam (elastic subgrade)
Gumbo subgrades, characteristics 46, 48–50	Lapham, E. G. (collaborator):	Moisture, see headings beginning Moisture—also
Gutters, r. 143, 191, 205 Gyldenstein, G. 180, 181	effect of wheel type on impact reaction, a 85-94, 97 Leygue, M. S., r. to p	Capillary moisture—Ground-water level—Heaving—Humidity—Liq-
П	Licenses and permits, motor vehicle: number and receipts from, 1928	uid limit—Plasticity—Shrinkage— Volume change—Wear (of concrete
Hammer, electric:	Liebowitz, Dr. Benjamin	pavements). Moisture capacity of subgrade soils 39, 45–50, 54, 58
for molding of bituminous specimens 28, 31 Hardness, surface, see Wear.	Lime as admixture: in concrete	Moisture content:
Hayashi, K., r. to p. 65 (fn), 66 (fn)	in subgrade soils 58	of cement mortar specimens, effect on strength—
Hardness, surface, see Wear. Hayashi, K., r. to p	as concrete aggregate, effect upon strength of concrete	a. by D. O. Woolf and Baxter Smith 113 of concrete slabs—
Highway Research Board of the National Re- search Council:	as cover material—	variation during curing, amounts and ef-
research, r., r. to p	chats, use, r 198, 201 specifications for surface treated sand-	fects 214, 218, 219, 222-225, 2.8 of earth road surfacing (freshly placed) as
and Charles Terzaghi, interrelationship of	clay roads 210 test results, various 73, 151, 152	of fill material over culvert pipe as affecting
r. to p	Limestone macadam road:	earth pressure on pipe 157-162, 175
r. to p	surface treatment experiments, r to p 137 (fn) Lincoln Park, Chicago:	of soils, miscellaneous r40- 42, 44-63, 135, 166, 214-220, 223
Hubbard—Field test:	separation of highway grades26 Liquid limit (lower) of soils48-50, 135, 143, 203, 204	Moisture equivalent percentages of soils 48, 50, 143, 204 Molasses-lime mixtures as dust layers 137
cores for, from molded specimens	Load capacities of various pavement types. 37-39, 41, 64	(text and fn)
Humidity as affecting crack development in concrete pavements variously	Load-deflection curves, see Culvert pipe—De- flections—Impact load-deflection	Molding: of bituminous paving mixtures (laboratory
cured	data. Load-displacement curves, concrete slab under	specimens), methods and appara- tus28-32
Hydraulic research:	various subgrade conditions (cur-	of concrete test specimens, methods and ap-
flow of water around bends 33-34 Hydrostatic uplift in clay soils 186, 189	ing methods test data)	paratus73, 110, 112, 115 Moments, see Bending moments—Stresses (in
arostatic upine in clay sous 180, 189	by payaments of various types 37-39	nine milwerte)
TW- t V V	54, 58, 59, 62, 63 load distributors discussed	Mortar, see Cement mortar—Simplification of sizes—Soil mortar. Moscow Superior Technical School, see Krynine,
Illinois studies, see Farina, Ill.—Older, Clifford— Traffic studies—University of	Load-friction-cohesion relation:	Moscow Superior Technical School, see Krynine, Dmitry P.
Illinois. Impact load-deflection data, truck wheel acting	earth pressures on pipe culverts	Dmitry P. Motor vehicles, see headings beginning Impact, Operating, Traffic—also Parking—
upon pavement:	Load road and subgrade:	Registration fees—Registrations—
comparison with static-load deflection data. 88-94, 97	interrelationship, a. by C. A. Hogentogler and Charles Terzaghi	Speed. Muck as subgrade material, r., r. to p 46, 50, 64

Mud: Page	Q Page	Page
cohesion and internal friction	Quartz, quartzite, see Mineral composition.	emigravel, see Granular layers—Sand-clay and
on sand-clay roads		topsoil roads.
Mullis, Ira B., r. to p 64	R	hales:
Mystic Valley parkway 25	Railroad grade crossings:	stability 51 see also Mineral composition.
N	elimination, economic losses, etc	Shanghai harbor investigations, r. to p
Naptha flux, specification limits 207	Rainfall, see headings beginning Moisture—also Humidity—Weather conditions. Ramps in parkways. 22, 24 Rankine's earth pressure theory:	Shear failures on clay slopes: a. by Charles Terzaghi 177-192
National Sand and Gravel Association: recommendations	Ramps in parkways 22, 24 Rankine's earth pressure theory	Shear resistance of soils:
		in earth fills
New Hampshire nighways: traffic survey data 3 North Carolina State Highway Commission:	Rea, A. S. 64 Reagel, F. V. 42,58 Records, traffic survey: 42,58	Sheet asphalt, see Asphalt.
	Records, traffic survey:	Shoulders: of gravel, sand-clay, and topsoil roads 123,
culvert pipe 153-176	forms and eards for	126, 129, 132-134, 196, 198, 202, 203
0	receipts and distribution of, 1928	of pavements (general)— drainage as affecting subgrade support 54-
Ohio highways, traffic survey data 2-4, 6-15, 20	Registrations, motor vehicle, 1928. 35 Reid, J. W., r to p. 85 (fn)	
Oiled dowels, use, r 61 Oiling of subgrades, efficacy 56-59, 62, 63	Reinforcing, see Concrete reinforcement—Trees,	width, practice and recommendations 15, 132, 134
Oils, asphaltie:	roadside. Repose, angle of, for soils	Shrinkage:
light asphaltic oil road surfaces, r. to p 64 use in surface treatment	Résal (J., Jean)	of concrete— in concrete arches—
Older, Clifford, r. to p	Retaining walls: creep177-192	correction for, in Freyssinet arch
Operating costs of motor vehicles on highway	r. to p	construction 149, 150 shrinkage coefficients 150
grades, r., r. to p 16 (text and fn) Operating vehicle index, Georgia roads 127,	construction—Registration fees.	in pavement slabs during curing, as
Oregon State Highway Commission, project 150	Rights of way, width 15, 20 Rio Vista, California, experiments, r. to p 64	of soils— 225
Oregon Trail, proposed traffic survey	Roadside development:	lineal shrinkage of good binders 46
Organic matter, inorganic matter, see Bituminous materials (analyses)—Soils.	Roadside development: in Massachusetts, a. by James H. Taylor. 101-109	miscellaneous r
Overland Trail, proposed traffic survey	plantings in parkways 22, 27, 32 Rodding of concrete test specimens:	48, 50, 143, 204
P	methods and apparatus	see also Cracks—Moisture content—Stresses —Volume change.
Pacific Northwest soil studies r r ton 42 64	tures 28 (text and in)	Shrubs for roadside planting, size. 102 Shuman, see Gonnerman, H. F.
Pacific Northwest soil studies, r., r. to p 42, 64 Panama Canal slides, r., r. to p 183, 192 Parking, motor vehicle, provision for 11, 14, 15, 19, 26	Rolling methods and equipment:	Shuman, see Gonnerman, H. F. Sieve analyses, see Mechanical analyses.
Parking, motor vehicle, provision for 11, 14, 15, 19, 26 Parkways, a, by E. W. James 21-27, 32	in surface treatment of sand-clay roads 196- 198, 201, 203, 209, 211, 212	Sight distance at highway curves
Parkways, a. by E. W. James 21-27, 32 Patrol, see Maintenance patrol.	Roosevelt Boulevard, Philadelphia: 24, 26	Signs and signals 19, 20 Silica (amorphous) in Georgia chert:
Paul, C. H., r. to p	Rose, A. C., r., r. to p	binding value
and Paul F. Critz, bituminous surface treat-	Rotation: of concrete arch supports, correction for in	Silts: as subgrade soils 44–48, 50, 52–55, 57–63
ment experiments, a	Freyssinet arch construction 150	characteristics, various 44-48, 52-54, 143
tures, a	of cross sections of culvert pipe under load. 170 of water in flowing around bend	definitions
r. to p	Roughness see Smoothness,	Simplification of sizes in sand and gravel industry.
highway traffic analysis methods and results,	Route marking, United States, progress	a. by F. H. Jackson
Peat as subgrade material, r., r. to p 46, 50, 64	Ruts:	pressure cell observations, r., r. to p 191, 192
Peat marshes: fill settlement in, r. to p	in subgrades, as cause of pavement cracks 42, 43 in surface treated roads, occurrence and re-	Skellit Fork Bridge, Ill.: pressure cell observations, r., r. to p. 191, 192 Skidmore, H. W 64 Slack, Searcy B., r. to p. 149 (fn)
Pebble (red) road surfaces in Georgia 117, 126, 127, 136	pair	
Pebble (red) road surfaces in Georgia 117, 126, 127, 136 Penck, W., r. to p	in thin surface earth roads	as base course material 58, 59, 63 as concrete aggregate 72-84, 116
experiments	s	as concrete aggregate
Penetration of bituminous products 206-208, 210 Penetration tests of soils, r, to p. 64	Safety, factors of:	see also Traffic-bound roads. 196, 197, 200, 203, 210
Pennsylvania highways, traffic survey data 6,9	in cuts and fills 165, 177-192 Sampling of highway materials, r. to p 151 (fn)	Slate, slaty material:
Permeability: of base courses, as affecting subgrades 59	Sand:	as sand constituent 72 as soil constituent—
of base courses, as a flecting subgrades 59 of soils, as affecting stability 45, 47–50, 55, 62, 135, 191	as cover material in surface treatment of roads 138-141, 146, 198, 201, 203	effect upon stability
Permits, see Licenses.	as subgrade soil 40, 44-48, 50-55, 57-63 cohesion and internal friction 47,	
Petroleums, see Bituminous materials-Oils,	cohesion and internal friction	critical height and factors of safety
Petterson, K. E	52-54, 63, 154, 166-168, 175, 178, 181, 204 definitions 46, 118, 134, 203 sizes, commercial 227 see also headings beginning Sand—also Con-	shear failures on clay slopes, a. by Charles
Piers, bridge: flow of water around	sizes, commercial 227	Terzaghi 177-192
Pine:	crete sand—Earth his—Mechani-	side slopes in parkways
culvert pipe, earth pressure experiments 153-176 pipe bends, spiral motion of water in	cal analyses—Soils (composition)— Uniformity coefficients.	moisture content of cement mortar specimens, effect on strength, a
sewer pipe, r. to p	Sand-elay and topsoil roads: as subgrades for paved roads 45, 117, 118, 134, 136	Smoothness, pavement:
Pitot tubes, use, r	construction, reconstruction, and mainte-	tolerance, specifications, practice
Planes of weakness, see Joints	nance methods and costs (un-	use in concrete pavement curing investiga-
Plantings, roadside 22, 27, 32, 101-109 Plasticine, reduction of bearing capacity by ham-	treated and surface treated roads) 117, 118, 120, 121, 123, 125–128, 130–136, 193–203, 208–212	Softening point, see Specifications. 213-225, 228
mering 48	in Florida and in South Carolina	Soil analyses: for various soil types 118-123, 142, 143, 203, 204
Plasticity of soils: as affecting stability44–49, 59	64, 117–136, 193 (fn), 212 salvage value 117, 126, 127	see also Mechanical analyses.
plasticity index values 47-49, 143, 144, 204 test, use in soil identification 47, 48	stability factors (summary) 135	Soil grains: size, effective, in various subgrades and base
Poisson's ratio of concrete	surface loss, life, depreciation 117-123,	soils 46-48, 50, 199, 203, 204
Porosity: of sand-clay and topsoil road surfaces 135	126, 127, 130–136, 193, 202, 212 surface treatment 57, 58, 193–212	Soil mechanics, r. to p134 (fn)
of subgrade soil as affecting stability 42, 44, 48, 49	see also Traffic capacities.	definition and classification, Georgia road
Portland Cement Association: 58, 59	Sand-clay subgrades: characteristics	Soil pressure, see Earth pressure—Soil pressure
grip design for concrete specimens, r		cells.
Pressure: "spring" pressure of culvert pipe under load,	cohesion, friction, supporting value 54, 181	Soil pressure cells: observations, various 50, 160-163, 169, 173, 191
truck-spring pressure as influencing truck	Sand-mica mixtures, r., r. to p	placing on culvert pipe, method 158, 159
wheel impact 86-90	as concrete aggregate, effect upon strength of	r. to p
changes in stream flowing around ob-	concrete	conditions 44, 45 Soil surveys, see Subgrade surveys.
struction	test results, various	Soils:
in stability determination of clay slopes 186-186 see also headings beginning Impact, Load,	test results, various 73 Santa Fé Trail, proposed traffic survey 147 Sargent, Prof. Charles S., q. 102	elassification— of road soils 117–123 126 127 134 203–205
Static-also Compression tests-	Scales for use in trainc surveys	of road soils117-123, 126, 127, 134, 203-205 of subgrade soils45, 46, 62, 63
Compressive strength—Earth pressure—Friction—Soil pressure	Schist, see Mineral composition. Schlick, W. J., r. to p	r. to p
cells—Stresses.	Schlick, W. J. (collaborator), r. to p. 175	118-123, 126-130, 132-136, 204
Priming coats in bituminous surface treatment of roads146, 147, 194, 196-198, 200, 202		in road soils 118 134 135 103 100 204 205
203, 206, 209-21	Screenings, see Cover material.	in subgrade soils
reportioning of concrete: methods, r	Seal coats in surface treatment of roads	of top or weathered zone, stability 16 organic matter in, effects 134
see also Concrete mix.	Seepage into subgrades:	road soils, see Sand-clay and topsoil roads—

Joils—Continued. Page subgrade soils—	Stresses—Continued. Page	Tensile strength—Continued. Page
stability factors	shrinkage stresses in concrete	of concrete as affected by aggregate, cement factor, and water-cement ratio 72-84
undesirable soils, methods of counteract- ing effects of	temperature stresses in concrete 40,	see also Stresses (tensile stresses)—Tension
see also Soils (classification—composi-	65, 70, 71, 148-150, 214-219	tests. Tension tests:
tion)—Subgrades.	in cement paste during drying	of concrete—
character as affecting earth road surfaces. 127,	in concrete	preparation of specimens 73, 74 r., r. to p 78, 224
135, 136	Subgrade friction (concrete payements):	see also Tensile strength.
of earth roads in Georgia	as affecting primary crack formation	
tests-	215 218 219	a. (collaboration)
field tests, r. to p	Subgrade studies, bibliography 64 Subgrade surveys:	interrelationship of load, road, and subgrade, a. (collaboration) 37-64 r., r. to p
see also names of tests.	usefulness and data	retaining walls, a 177-192
see also headings beginning Earth, Moisture, Shear, Soil, Subgrade—also names	Subgrades:	retaining walls, a 177-192 Test methods, apparatus, and data, see names of
of soils, names of properties of soils,	elastic subgrades, deformations of — effects upon pavements	tests, names of machines and kinds of apparatus, and names of mate-
names of constituents of soils—also Admixtures—Binding material—	interrelationship of load, road and subgrade—	rials tested
Dituminant treatment Capillary	a. by C. A. Hogentogler and Charles Terzaghi 37-64	Testing of highway materials, r. to p 151 (fn.) Thermocouples, use 215, 218
Fresion—Ground-water level—	Terzaghi 37-64 lateral flow 52, 56, 59, 60 of sand-clay and topsoil roads 131,	Thickened edge design, concrete pavements 60, 69, 98
moisture — Cuts — Drainage Erosion—Ground-water level— Pacific Northwest—Repose—Sub- grades—Voids—Weathering.	of sand-clay and topsoil roads	Thickness: of pavements 19, 59, 60, 62, 63, 67-69, 71, 98, 142
grades-Voids-Weathering.	subgrade support —	surface thickness of sand-clay and topsoil
Solubility, see Specifications. Somervell, W. D., r. to p	factors affecting (summary)	roads 117-
Spading of concrete test specimens:	treatments (subgrade treatments and surface	123, 126, 130-136, 194-196, 203, 204 see also Base courses.
method and apparatus	treatments) 54-59, 62, 63	Three-lane roadways 14
Spangler, M. G., r. to p	uniform and nonuniform subgrades, discussion 45-51, 62, 63	Tile drains, see Drains. Time and weather tests of culvert pipe
Specific gravity: of bituminous products used in surface treat-	sion 45-51, 62, 63 wet subgrades as affecting—	Tires, motor vehicle:
ment, test results and specifications. 138,	concrete slab behavior 41, 54, 60-62, 220-223 subgrade resistance 218	impact and static load-deflection data 85-94, 97 Tongue-and-groove design, joints in concrete
206, 207, 209, 210	see also names of pavement types and names of	pavements
of coarse aggregates— test, accuracy of	soils—also headings beginning	Pavements 69 Topeka top concrete pavements:
test results 73, 151, 152	Moisture, Soil, Subgrade—also Diatoms—Drainage—Heaving—	corner cracks
of sand, test results	Modulus, moduli (of subgrade	characteristics 45, 46, 51, 57, 118, 135, 193 see also Sand-clay and topsoil roads.
materials and construction (un-	reaction)—Ruts—Seepage— Soils—Tar paper treatment.	see also Sand-clay and topsoil roads. Toughness of mineral aggregate for surface
treated and surface treated roads). 208–212 Speed, vehicle:	Subsoils, see Soils.	treated sand-clay roads
increased speed, effect on highway design-	Sulphite liquors as dust layers, r. to p	Traffic action:
a. by A. G. Bruce	Superhighways, see Parkways.	effects upon subgrades 39, 48, 54, 58, 62
speed limits, increases by States	Surface hardness, surface wear, see Wear.	loss).
Spreading methods in surface treatment of roads. 138,	Surface loss, see Sand-clay and topsoil roads. Surface treatment, see Bituminous surface treat-	Traffic-bound roads: characteristics and r. to p 39,64
139, 141, 146, 194, 196–198, 201–203, 211, 212 Stability, see headings beginning Clay, Granular,	ment—Subgrades.	Traine capacities of highways:
Gravel Sand-also Rearing	Surveys, see California highways—Hogentogler,	as affected by pavement width, grade cross-
power—Bituminous paving mix-	ments-Sand-clay and topsoil	ings, intersections14, 19, 20, 26 normal capacity, 2-lane roadway15
power—Bituminous paving mix- tures—Clays—Earth fills (settle- ment)—Sand—Shear failures— Silts—Soils (composition—sub-	C. A. (r. to p.)—Macadam pave- ments—Sand-clay and topsoil roads—Traffic studies. Swedish Geotechnical Commission:	traffic canacities, traffic service, of untreated
Silts — Soils (composition — sub- grade soils)—Subgrades.	research, data and r. to D 177-179, 192	and surface treated sand-clay roads117, 123-136, 193, 194, 196-199, 202 Traffic densities of highways 1-10, 12, 13, 147
Stage construction, advantages 59, 117, 118, 134, 136	Sweeping methods and equipment in surface	Traffic densities of highways 1-10, 12, 13, 147
Static load tests:	treatment of roads	Traffic islands: treatment in road beautification 107, 109
of concrete slabs on wet clay subgrades, breaking loads	Swelling, see Expansion—Heaving—Volume	Traffic lanes:
of truck wheels and tires-	change,	extra lanes at intersections 20
method, apparatus, and data	T	recommendations
Steel, see Concrete reinforcement—Culvert pipe—	m. 11 - 4 - 4 - 4	Traffic regulation, traffic restrictions:
Molding—Rodding. Stiffness (relative) of concrete in flexure:	Talbot, Arthur N., r., r. to p	miscellaneous r 1, 11, 14, 19, 26, 147 Traffic sidings by roadsides 108
radius of	miscellaneous data 110, 112, 115, 138, 166, 168, 175 Tangential resistance of soil on slopes	Traffic studies, traffic surveys:
Stone:	Tangential resistance of soil on slopes	data, miscellaneous
local stone, use in parkway structures 22, 27 see also Aggregate, mineral—Base courses—	Tar. tars:	in Western States, announcement
Concrete aggregate (coarse) — Cover material—Crushed stone concrete—Load distribution—	as admixtures in subgrade soils 58, 62 as concrete pavement curing agents 213-225, 228	traffic analysis methods and results, a. by L.
concrete—Load distribution—	for surface treatment of roads—	E. Peabody 1-10 transverse distribution of traffic 11-15
Macadam pavements — Traffic-	types, test results, specifications, etc 137- 147, 194, 196-198, 200, 203, 206, 207, 209, 211	Trailers, registrations, 1928
bound roads. Strahan, Dr. C. M.:	The paper treatment of subgrades:	Transverse, see Cracks—Joints—Modulus, moduli (of rupture)—Traffic studies.
gravel, topsoil, and sand-clay roads in Georgia, a	data and r. to p. 56, 62, 64, 213–225, 228 Tar sheet macadam pavement:	Trap rock:
q., r	Tar sheet macadam pavement: reconstruction as penetration macadam 140-142	as concrete aggregate, effect upon strength of concrete 72-84
Strain gauges, use in stress control in concrete	Taylor, James II	test results
arch construction	roadside plan and progress in Massachusetts, a	surface treatment experiments
proposed research	Teller, L. W.:	Trees, roadside:
Straw curing of concrete slabs:	and H. L. Bosley, Arlington curing experi- ments, a 213-225, 228	planting and maintenance
experiments 214, 216, 217, 220, 223, 225 Strength, see Bending moments—Compressive	effect of method of fabrication on strength and	a distribution of the parameters and
strength—Concrete pavements— Flexural strength—Modulus, mod-	uniformity of flexure specimens, a	U
uli (of rupture)—Strength ratios—	r. to p64, 86(fn), 87(fn)	Uniformity:
Tensile strength.	test for indicating surface hardness of concrete payements, a	of bituminous paving mixture specimens molded by new machine
Strength ratios for concrete in flexure, tension, and compression for various ag-	Temperature:	of concrete as affected by—
gregates variously graded 83	air temperature—	grading of aggregate 84 method of fabrication of specimens 110-1.2, 115
Stresses: in concrete arches—	minimum for application of bituminous materials in surface treatment of	Uniformity coemcients of soils:
control by method of arch construc-	earth roads	value for ideal soil
tion 148-150 in concrete beams resting on elastic sub-	variations as affecting— earth pressure 157, 189, 199	University of Georgia, r. to p 64, 118 (fn)
grades and loaded at the middle 65-67		value for ideal soil. 40 (text and fi), 109 values for various soils 46, 47, 53, 199, 204 University of Georgia, r. to p 84, 118 (fn) University of Ilimois, r. to p 172, 173 (fn), 176 University of Iowa:
in concrete payement slabs—	curing 214-219, 228	nydraunc research data
as affected by— deformations of subgrades 41,65-7	ucts in surface treatment of earth	University of North Carolina:
Size of slab	1 10305 190, 198, 200, 203, 211	earth pressure experiments, culvert pipe 153-176
wheel loads65-7 compressive stresses, control by joints 6	of concrete pavement slabs, variations during curing 215-219, 228	v
computation by theoretical analysis,	of subgrade as affected by surface covering	
data and r. to p 41, 65-7	materials on curing concrete slabs. 215-217	Valley Forge State Park, Pennsylvania: parking (vehicle), provision for26
during curing 214, 215, 218, 219 edge stresses, corner stresses 67-7	1 Temperature expansion of concrete, coefficient:	Vehicle index, see Operating vehicle index. Velocity changes in water flowing around ob-
in pipe culverts—	assumed value	Velocity changes in water flowing around ob-
a. by William Cain 169-17 computation, formulas 170-17	5 of cement mortar specimens as affected by	struction, studies
in slopes (sliding surfaces) 179–18		Virginia demonstration road, r. to p 64

	Page
Viscosity of bituminous products used in surface	
treatment of roads 138, 194, 200), 202,
	06-210
Voids:	
in base courses, effects	58, 59
in bituminous paving mixtures—	
control in molding of specimens	30, 31
in concrete aggregate	
relation to cement factor	79, 82
test results	72, 73
in soils 45-49, 154, 1	86, 204
Volume change:	
in concrete slabs during curing 214-2	17, 228
in soils (shrinkage, swelling, heaving)	40-50,
54, 55, 58, 59, 62, 63, 135, 136, 143, 157, 20 216-219	3, 204,
see also Expansion—Shrinkage.	
w	
Walls, retaining, see Retaining walls.	
Wardlaw, J. G., and Aull, L. B., r. to p	176
Warning cione highway	10 20
Warning signs, highway Warping of concrete pavement slabs	41
42, 70, 2	18 219
Water, see headings beginning Moisture, Water-	
also Capillary moisture—Drainage	
-Earth fills (tranned water)-Flow	
-Earth fills (trapped water) - Flow -Ground-water level - Pressure	
(water pressure)—Seepage.	
Water-cement ratio of concrete:	
ratios used for flexure specimens	112
relation to strength of concrete	72-84
Watercourses, control in parkways	22, 32
Waterlogging of clay soils, r	48, 50
Watkins, W. I	44 (fn)
Wear:	
of aggregates for surface treated roads, speci	
fications	210

Wear-Continued.	Page
of concrete aggregates— relation to strength of concrete	79.84
test results	73
of concrete pavements -	
as affected by—	05 07
aggregate	90,97
grada conditions	95
grade conditions	22, 228
dust or moisture in the path of wear.	96, 97
test for surface hardness, a. by L. W.	
Teller	95 - 97
of pavements (general)—	20 40
surface abrasion as cause of failure	39, 40
loss).	
Wear machine, concrete pavement 95, 9	6, 221
Weather conditions:	
as affecting—	
earth pressure on culvert pipe	157
earth road surfaces 12	
see also Heaving-Humidity-Temperature.	0, 1, 5
Weathering of soils:	
stability of weathered zone	16
Weighing apparatus, earth pressure tests of cul-	
vert pipe1	
Weighing of motor trucks in traffic surveys	
Weights of concrete aggregates used in tests	72, 73
Weirs, use in parkways Westchester County, New York, park develop-	22, 32
westenester County, New York, park develop- ment	97 39
Westergaard, Dr. H. M.:	21, 32
mechanics of progressive cracking in concrete	
pavements, a	65-71
r., r. to p	9 (fn)
Whangpoo Conservancy Board, China:	
earth sliding test, r., r. to p1	81, 192

Wheel type, motor truck:	Page
effect on impact reaction	85-94, 97
Widening:	
of curves (highway), formula and	practices. 17,
of highways, practices	18, 20
	16, 18, 20
Width:	
of parkways, recommendation	
as affecting traffic capacity, d	listribution,
and speedconcrete pavement width in	11-15
concrete pavement width in	designs sub-
mitted	98
predominating width	
recommendations	
of sand-clay and topsoil roads, r.	118,
	32, 134, 194-196, 203
of shoulders, recommendations	15, 132, 134
Williams, L. E., r. to p	227 (fn)
Winfrey, Robley (collaborator), r. to	p 176
Woburn, Massachusetts, parkway	25
Woolf, D. O.:	
accuracy of specific gravity and	absorption
tests of coarse aggregate	a, a 151-152
and Baxter Smith-	
moisture content of cement	nortar spec-
imens, effect on strengt	h. a 113
Workability of concrete as affected b	v type and
grading of aggregate	
Y	
Yarnell, D. L.:	
flow of water around bends	
piers, a	33-34
Yield of concrete as affected by type	and grading

